Schmidt, L., Jungclas, H., Fritsch, H-W., Köhl, P. Gridless Ion Acceleration Systems for Time-of-Flight Mass Spectrometry, 782
Schweikhard, L., Alber, G.M., Marshall, A.G. High-Frequency Fourier Transform Ion Cyclotron Resonance Mass Spectrometry, 177
Schweikhard, L., Marshall, A.G. Excitation Modes for Fourier Transform-Ion Cyclotron Resonance Mass Spectrometry, 433
Seeterlin, M.A., Vlasak, P.R., Beussman, D.J., McLane, R.D., Enke, C.G. High Efficiency Photo-Induced Dissociation of Precursor Ions in a Tandem Time-of-Flight Mass Spectrometer, 751
Senko, M.W., Beu, S.C., McLafferty, F.W. Mass and Charge Assignment for Electrospray Ions by Cation Adduction, 828
Senko, M.W. *See* Beu, S.C.
Serfass, R.E. *Radioactive and Stable Isotope Tracers in Biomedicine*, by Wolfe, R.R. (book review), 193
Serroni, S. *See* Denti, G.
Siegel, M.M., Tsao, R., Bouley, W., Kornas, T., Brubaker, G. Multisample Probe for Fast-Atom Bombardment/Mass Spectrometry, 504
Sindona, G. *See* Denti, G.
Singh, R.P., Brindle, I.D., Jones, T.R.B., Miller, J.M., Chiba, M. Determination of Polycyclic Aromatic Hydrocarbons by High-Performance Liquid Chromatography–Particle Beam–Mass Spectrometry, 898
Smith, B. *See* Perkins, J.R.
Smith, D.H. *See* Barshick, C.M.
Smith, M.J.C. *See* Creaser, C.S.
Smith, R.D. *See* Winger, B.E.
Smithwick, R.W. III, Lynch, D.W., Franklin, J.C. Relative Ion Yields Measured with a High-Resolution Glow Discharge Mass Spectrometer Operated with an Argon/Hydrogen Mixture, 278
Speir, J.P., Gorman, G.S., Amster, I.J. Fe^+ Chemical Ionization of Peptides, 106
Sproch, N., Kruger, T. Construction and Characterization of a Small-Bore Electrospray Ionization Source, 964
Srinivas, R., Vairamani, M., Mathews, C.K. Gas-Phase Halo Alkylation of C_{60}-Fullerene by Ion–Molecule Reaction Under Chemical Ionization, 894
Staempfli, A. *See* Zheng, Y.-J.
Stevenson, C.L., Anderegg, R.J., Borchardt, R.T. Probing the Helical Content of Growth Hormone-Releasing Factor Analogs Using Electrospray Ionization Mass Spectrometry, 646
Straub, R.F., Voyksner, R.D. Negative Ion Formation in Electrospray Mass Spectrometry, 578
Stults, J.T. *Mass Spectrometry of Peptides*, edited by Desiderio, D.M. (book review), 519
Stults, J.T. *See* Nuwaysir, L.M.
Sunner, J. Role of Ion–Ion Recombination for Alkali Chloride Cluster Formation in Liquid Secondary Ion Mass Spectrometry, 410
Sunshine, I. *Analytical Methods in Forensic Chemistry*, edited by Ho, M.H. (book review), 362
Surjasasmita, P.I., Freiser, B.S. Collision-Induced and Infrared Multiphoton Dissociation Studies on $M(acetone)_2^+$ (M = Al, Fe, Co, Cu, ScO) in the Gas Phase, 135
Syka, J.E.P. *See* Williams, J.D.

Tabet, J.C. *See* Fournier, F.
Thibault, P., Alexander, A.J., Boyd, R.K. High-Energy Collisional Activation Studied Via Angle-Resolved Translational Energy Spectra of Survivor Ions, 835
Thibault, P., Alexander, A.J., Boyd, R.K., Tomer, K.B. Delayed Dissociation Spectra of Survivor Ions from High-Energy Collisional Activation, 845
Thomson, M.L. *See* Hayward, M.J.
Thornburg, K.R., Schey, K.L., Knapp, D.R. Identification of a New Fragment Ion Type in the Collision-Induced Dissociation Spectra of Peptides: Formation of a_2-16 Ions, 424
Tomer, K.B. *The Important Peak Index of the Registry of Mass Spectral Data*, by McLafferty, F.W. and Stauffer, D.B. (book review), 82
Tomer, K.B. *See* Perkins, J.R.; Thibault, P.
Trotta, P.P. *See* Huang, E.C.
Tsao, R. *See* Siegel, M.M.
Tsarbopoulos, A. *See* Huang, E.C.
Tuinman, A.A. *See* Holman, R.W.

Uccella, N. *See* Denti, G.
Udseth, H.R. *See* Winger, B.E.

Vaglio, G.-A. *See* Decouzon, M.
Vairamani, M. *See* Srinivas, R.
Van Bramer, S.E., Ross, P.L., Johnston, M.V. Unimolecular Photochemistry of *n*-Alkenes Studied by Photodissociation–Photoionization Mass Spectrometry, 65
Vertes, A. *See* Claereboudt, J.
Visentini, J., Zidarov, D., Allard, M., Bertrand, M.J. Evaluation of the True Effect of Experimental Parameters on the Reduction/Oxidation Processes Observed in Fast-Atom Bombardment/Liquid Secondary Ion Mass Spectrometry, 482
Vlasak, P.R. *See* Seeterlin, M.A.
Volpe, P. *See* Decouzon, M.
Vouros, P. *See* Annan, M.
Voyksner, R.D. *See* Straub, R.F.

Wampler, F.M. III, Blades, A.T., Kebarle, P. Negative Ion Electrospray Mass Spectrometry of Nucleotides: Ionization from Water Solution with SF_6 Discharge Suppression, 289
Wampler, F.M. III. *See* Beu, S.C.
Wang, B.H., Dreisewerd, K., Bahr, U., Karas, M., Hillenkamp, F. Gas-Phase Cationization and Protonation of Neutrals Generated by Matrix-Assisted Laser Desorption, 393
Wang, T.-C.L. *See* Markey, S.P.
Wesdemiotis, C. *Fundamentals of Gas-Phase Ion Chemistry*, edited by Jennings, K.R. (book review), 832
Wilkins, C.L. *See* Kahr, M.S.
Williams, J.D., Cooks, R.G., Syka, J.E.P., Hemberger, P.H., Nogar, N.S. Determination of Positions, Velocities, and Kinetic Energies of Resonantly Excited Ions in the Quadrupole Ion Trap Mass Spectrometer by Laser Photodissociation, 792
Williams, J.D. *See* Cameron, D.
Wilson, S.R., Wu, Y. Applications of Electrospray Ionization Mass Spectrometry to Neutral Organic Molecules Including Fullerenes, 596
Winger, B.E., Hofstadler, S.A., Bruce, J.E., Udseth, H.R., Smith, R.D. High-Resolution Accurate Mass Measurements of Biomolecules Using a New Electrospray Ionization Ion Cyclotron Resonance Mass Spectrometer, 566
Winger, B.E., Light-Wahl, K.J., Loo, R.R.O., Udseth, H.R., Smith, R.D. Observation and Implications of High Mass-to-Charge Ratio Ions from Electrospray Ionization Mass Spectrometry, 536
Winkler, P.C. *See* Bier, M.E.
Wood, J.M. *See* Gord, J.R.

Wu, H.-F., Brodbelt, J.S. Comparison of the Orders of Gas-Phase Basicities and Ammonium Ion Affinities of Polyethers by the Kinetic Method and Ligand Exchange Technique, 718
Wu, Y. *See* Wilson, S.R.
Wu, Z. *See* Fabris, D.

Yamabe, S. *See* Hiraoka, K.
Yates, J.R. III. *See* Currie, G.J.
Yost, R.A. *See* Eades, D.M.
Yu, S.J., Gross, M.L., Fountain, K.R. $CH_2^{+\cdot}$ Transfer to Pyridine Nucleophiles: A Means of Producing α Distonic Ions, 117

Zagorevskii, D.V., Nekrasov, Y.S., Holmes, J.L. Metastable Ion Study of Substituted Cyclopentadienylmanganese Cations in the Gas Phase, 216
Zeller, L.C., Farrell, J.T., Jr., Kenttämaa, H.I., Kuivalainen, T. Multiple-Stage Mass Spectrometry in Structural Characterization of Organophosphorus Compounds, 125
Zheng, Y.-J., Staempfli, A., Leary, J.A. Mechanism of Gas-Phase Aldose–Ketose Isomerization: A Study Using Tandem Mass Spectrometry and Theoretical Calculations, 943
Zidarov, D. *See* Visentini, J.
Zirrolli, J.A., Murphy, R.C. Low-Energy Tandem Mass Spectrometry of the Molecular Ion Derived from Fatty Acid Methyl Esters: A Novel Method for Analysis of Branched-Chain Fatty Acids, 223

SUBJECT INDEX

a_2-16 ions, formation of: Identification of a new fragment ion type in the collision-induced dissociation spectra of peptides, 424
Acetals, cyclic, Fast-atom bombardment of: evidence indicating the predominant involvement of condensed-phase processes in ionization, 493
Acid-denatured myoglobin, Stepwise refolding of: evidence from electrospray mass spectrometry, 638
Acidities, Gas-phase, of diols, 723
Acidities, gas-phase, of germane and methylgermane; Fourier transform-ion cyclotron resonance study of, bond dissociation energy of germane, 54
Acidity of fluorobenzene and 1,4-difluorobenzene, on the: Gas-phase reactions between $O^{-\cdot}$ and C_6H_5F, 73
Afterpeak time regime of pulsed glow discharge plasmas, Ion formation processes in, 727
Air and helium, The effects of, on the performance of the ion trap detector when used for real-time monitoring of some atmospheric pollutants, 774
(Al, M =, Fe, Co, Cu, ScO), $M(acetone)_2^+$, Collision-induced and infrared multiphoton dissociation studies on, in the gas phase, 135
Alcohol–ammonia and water–alcohol protonated clusters, On the structure of, 507
Alcohol–water and ammonia–alcohol protonated clusters, On the structure of, 507
Alcohols, amino, site-selective gas-phase reaction of, with dimethyl ether ions, An investigation of, 230
Aldose–ketose isomerization, gas-phase, Mechanism of: a study using tandem mass spectrometry and theoretical calculations, 943
Alkali chloride cluster formation in liquid secondary ion mass spectrometry, ion-ion recombination for, Role of, 410
Alkali metal cationized oligosaccharides, Collision-induced dissociation of: influence of the collision energy and of the collision gas for the assignment of linkage position, 197
Alkanols, Charge-remote fragmentation and the two-step elimination of, from fast atom bombardment-desorbed $(M + H)^+$, $(M + Cat)^+$, and $(M - H)^-$ ions of aromatic β-hydroxyoximes, 819
Alkylation, halo, Gas-phase, of C_{60}-fullerene by ion–molecule reaction under chemical ionization, 894
α-distonic ions, a means of producing: $CH_2^{+\cdot}$ transfer to pyridine nucleophiles, 117
Amino acid sequence prerequisites for the formation of C_n ions, 874
Amino acids, cationized heterodimers of, Decompositions of, in relation to charge location in peptide ions, 461
Amino alcohols, site-selective gas-phase reaction of, with dimethyl ether ions, An investigation of, 230
Ammonia–alcohol and water–alcohol protonated clusters, On the structure of, 507
Ammonium ion affinities and gas-phase basicities of polyethers, orders of, Comparison of, by kinetic method and ligand exchange technique, 718
Analysis and estimation of systematic errors originating from Coulomb mutual interaction and image charge in Fourier transform ion cyclotron resonance precise mass difference measurements, 855
Analysis of oligodeoxynucleotides by negative-ion matrix-assisted laser desorption mass spectrometry, 955
Analysis of solution residues by glow discharge mass spectrometry, 47
Analyte charge state, signal intensity, and stability in negative ion electrospray mass spectrometry, Solvent effect on; implications for the mechanism of negative ion formation, 546
Angle-resolved translational energy spectra of survivor ions, High-energy collisional activation studied via, 835
Anticancer drugs, low-molecular weight, and their analogues, analysis of, Electrospray ionization mass spectrometry for, 588
Application of electrospray mass spectrometry and matrix-assisted laser desorption ionization time-of-flight mass spectrometry for molecular weight assignment of peptides in complex mixtures, 670
Application of electrospray mass spectrometry in probing protein–protein and protein–ligand noncovalent interactions, 624
Applications of electrospray ionization mass spectrometry to neutral organic molecules including fullerenes, 596
Archiving of data, electronic, Networking mass spectrometer data systems for, 742
Argon/hydrogen mixture, high-resolution glow discharge mass spectrometer operated with, Relative ion yields measured with, 278
Aromatic β-hydroxyoximes, $(M + H)^+$, $(M + Cat)^+$, and $(M - H)^-$ ions of, Charge-remote fragmentation and the two-step elimination of alkanols from, 819
Aromatic hydrocarbons, polycyclic, Determination of, by high-performance liquid chromatography–particle beam–mass spectrometry, 898
Atmospheric pollutants, real time monitoring of, ion trap detector used for, performance of, The effects of air and helium on, 774

Basicities, gas-phase, and ammonium ion affinities of polyethers, orders of, Comparison of, by kinetic method and ligand exchange technique, 718
Beam-induced reactions occurring in liquid secondary ion mass spectrometry/fast-atom bombardment by tandem mass spectrometry, Characterization of, 312
Benzene molecules, fluorinated, Double-ionization energies of, 513
Benzoic acid matrix, 2-(4-hydroxyphenylazo), Matrix-assisted laser desorption ionization mass spectrometry with, 399
BEqQ hybrid mass spectrometer, Determination of high-energy fragmentation of protonated peptides using, 470
β-Hydroxyoximes, aromatic, $(M + H)^+$, $(M + Cat)^+$, and $(M - H)^-$ ions of, Charge-remote fragmentation and the two-step elimination of alkanols from, 819
Biological soft tissues, molecular secondary ion mass spectrometry studies of, a model matrix for, Doped gelatin films as, 419
Biomolecules, High-resolution accurate mass measurements of, using a new electrospray ionization ion cyclotron resonance mass spectrometer, 566
Biomolecules, large, Fourier-transform ion-cyclotron resonance mass spectrometry of, Improved, 190

©1993 American Society for Mass Spectrometry
1044-0305/93/$6.00

Bond dissociation energy of germane; Fourier transform-ion cyclotron resonance study of gas-phase acidities of germane and methylgermane, 54
Bond strengths, gas-phase, of CO_2 and N_2O, Comparative study of, with the halide ions, 58
Book Reviews
Analysis of Carbohydrate by GLC and MS, 975
Analytical Methods in Forensic Chemistry, 362
Applications of Plasma Source Mass Spectrometry, 428
Chemical Ionization Mass Spectrometry, Second Edition, 286
Fundamentals of Gas-Phase Ion Chemistry, 832
Important Peak Index of the Registry of Mass Spectral Data, The, 82
Inductively Coupled Plasmas in Analytical Atomic Spectrometry, Second Edition, 756
Instrumentation for Trace Organic Monitoring, 755
Instrumentation in Analytical Chemistry 1988–1991, 286
Liquid Chromatography/Mass Spectrometry Applications in Agricultural, Pharmaceutical, and Environmental Chemistry, 831
Mass Spectrometry, 82
Mass Spectrometry (Analytical Chemistry by Open Learning), 831
Mass Spectrometry of Peptides, 519
Plasma Source Mass Spectrometry, 428
Radioactive and Stable Isotope Tracers in Biomedicine, 193
Secondary Ion Mass Spectrometry SIMS VIII, 755
Techniques in Protein Chemistry, 519
Techniques in Protein Chemistry II, 519
Techniques in Protein Chemistry III, 519
Vacuum Ultraviolet Photoionization and Photodissociation of Molecules and Clusters, 974
Branched-chain fatty acids, analysis of, a novel method for: Low-energy tandem mass spectrometry of the molecular ion derived from fatty acid methyl esters, 223

$C_2H_4/N_2O/Ar$ flame, study of: Triple quadrupole mass spectrometry as applied to flame diagnostics, 152
C_6H_5F and $O^{-\cdot}$, Gas-phase reactions between: on the acidity of fluorobenzene and 1,4-difluorobenzene, 73
$C_7F_7^+$ ions, gas phase, Structures of, 813
C_{60}-fullerene Gas-phase alkylation of, by ion–molecule reaction under chemical ionization; 894
C_n ions, formation of, Amino acid sequence prerequisites for, 874
Cation adduction, Mass and charge assignment for electrospray ions by, 828
Cationization, Gas-phase, and protonation of neutrals generated by matrix-assisted laser desorption, 393
Cationized heterodimers, of amino acids, Decompositions of, in relation to charge location in peptide ions, 461
$CH_2^{+\cdot}$ transfer to pyridine nucleophiles: a means of producing α-distonic ions, 117
Characterization of beam-induced reactions occurring in liquid secondary ion mass spectrometry/fast-atom bombardment by tandem mass spectrometry, 312
Charge and Mass assignment for electrospray ions by cation adduction, 828
Charge location in peptide ions, Decompositions of cationized heterodimers of amino acids in relation to, 461
Charge-remote fragmentation and the two-step elimination of alkanols from fast atom bombardment-desorbed $(M + H)^+$, $(M + Cat)^+$, and $(M - H)^-$ ions of aromatic β-hydroxyoximes, 819
Charged droplets, Ion formation from: roles of geometry, energy, and time, 524
Chemical ionization, ion–molecule reaction under, Gas-phase halo alkylation of C_{60}-fullerene by, 894
Chemical ionization, negative, with oxygen, dibenzothiophene subjected to, Oxidation reactions of, 949
Chemical ionization, Selective, of nitrogen and sulfur heterocycles in petroleum fractions by ion trap mass spectrometry, 322
Chemical ionization, Silver nitrate, for analysis of hydrocarbon polymers by laser desorption Fourier transform mass spectrometry, 453
Chemical ionization of peptides, Fe^+, 106
Chlorine isotopic abundances, Tropylium, monomeric metaphosphate anion, and Conestoga wagon theory, 761
Cholesterol oxidation products, trimethylsilyl ethers of, mass spectra of, Trimethylsilyl group migration in. Product ion characterization by linked-scan tandem mass spectrometry, 327
Chromatography, electrospray liquid/mass spectrometry, Selective detection of phosphopeptides in complex mixtures by, 710
Chromatography, liquid, high-performance–particle beam–mass spectrometry, Determination of polycyclic aromatic hydrocarbons by, 898
Chromatography, on-line immobilized metal-ion affinity, phosphopeptides isolated by, Electrospray ionization mass spectrometry of, 662
Clogged probes, Two thermospray probe insert designs that allow to be rapidly replaced, 182
Co, Al, Fe, Cu, ScO, $M(acetone)_2^+$, Collision-induced and infrared multiphoton dissociation studies on, in the gas phase, 135
CO_2 and N_2O, gas-phase bond strengths of, Comparative study of, with the halide ions, 58
Collision cross sections for protein ions, 616
Collision energy, influence of, for the assignment of linkage position: Collision-induced dissociation of alkali metal cationized and permethylated oligosaccharides, 197
Collision gas, influence of, for the assignment of linkage position: Collision-induced dissociation of alkali metal cationized and permethylated oligosaccharides, 197
Collision-induced and infrared multiphoton dissociation studies on $M(acetone)_2^+$ (M = Al, Fe, Co, Cu, ScO) in the gas phase, 135
Collision-induced dissociation, high-energy, in tandem mass spectrometry, Low-mass ions produced from peptides by, 882
Collision-induced dissociation of alkali metal cationized and permethylated oligosaccharides: influence of the collision energy and of the collision gas for the assignment of linkage position, 197
Collision-induced dissociation of multiply charged polypeptides, High-energy, produced by electrospray, 652
Collision-induced dissociation spectra of peptides, new fragment ion type in, Identification of: formation of a_2-16 ions, 424
Collisional activation, high-energy, Delayed dissociation spectra of survivor ions from, 845
Collisional activation, High-energy, studied via angle-resolved translational energy spectra of survivor ions, 835
Comparative study of the gas-phase bond strengths of CO_2 and N_2O with the halide ions, 58
Comparison of the orders of gas-phase basicities and ammonium ion affinities of polyethers by kinetic method and ligand exchange technique, 718
Competitive ionization of tetraphenylporphyrin in a laser-generated metal ion plasma, 159
Complex mixtures, peptides in, molecular weight assignment of, Application of electrospray mass spectrometry and

matrix-assisted laser desorption ionization time-of-flight mass spectrometry for, 670
Complex mixtures, phosphopeptides in, Selective detection of, by electrospray liquid chromatography/mass spectrometry, 710
Computer simulation of single-ion trajectories in Paul-type ion traps, 687
Concentric tube vacuum chamber for high magnetic field, high-pressure ionization in a Fourier transform ion cyclotron resonance mass spectrometer, 168
Condensed-phase processes in ionization, evidence indicating: Fast-atom bombardment of the cyclic acetals, 493
Conestoga wagon theory, Tropylium, chlorine isotopic abundances, monomeric metaphosphate anion and, 761
Conference Reports
PDMS'93, Hirschegg, Kleinwalsertal, Austria, June 19–26, 1993, 971
The Second European Meeting on Tandem Mass Spectrometry, Institute of Mass Spectrometry, University of Warwick, Coventry, CV4 7AL, July 19–22, 1992, 196
Construction and characterization of a small-bore electrospray ionization source, 964
Coulomb-induced frequency modulation, Two-dimensional, in Fourier transform ion cyclotron resonance: a mechanism for line broadening at high mass and for large ion populations, 909
Coulomb mutual interaction and image charge in Fourier transform ion cyclotron resonance precise mass difference measurements, systematic errors originating from, Analysis and estimation of, 855
Coupling a particle beam interface directly to a quadrupole ion trap mass spectrometer, 38
Cross sections, Collision, for protein ions, 616
Cu, Al, Fe, Co, ScO, M(acetone)$_2^+$, Collision-induced and infrared multiphoton dissociation studies on, in the gas phase, 135
Cyclic acetals, Fast-atom bombardment of: evidence indicating the predominant involvement of condensed-phase processes in ionization, 493
Cyclopentadienylmanganese cations, substituted, in the gas phase, Metastable ion study of, 216
Cytochrome *c*, myoglobin, hemoglobin and, heme binding in, Studies on, by ion spray mass spectrometry, 631

Data, electronic archiving of, Networking mass spectrometer data systems for, 742
Data systems, mass spectrometer, Networking, for improved productivity and electronic archiving of data, 742
Decompositions of cationized heterodimers of amino acids in relation to charge location in peptide ions, 461
Dehydration of peptide $[M + H]^+$ ions in the gas phase, 477
Delayed dissociation spectra of survivor ions from high-energy collisional activation, 845
Deprotonated phenol fatty acid esters, Ion-dipole complex formation from, evidenced by using gas-phase labeling combined with tandem mass spectrometry, 343
Desorption, laser, direct versus matrix-assisted: Laser microprobe mass spectrometry of quaternary phosphonium salts, 798
Desorption, laser, matrix-assisted, neutrals generated by, Gas-phase cationization and protonation of, 393
Desorption, laser ionization mass spectrometry, Matrix-assisted, with 2-(4-hydroxyphenylazo)benzoic acid matrix, 399
Detector performance and ion trajectories. I. Inductively coupled plasma mass spectrometry with an enlarged sampling orifice and offset ion lens, 16
Determination of high-energy fragmentation of protonated peptides using a BEqQ hybrid mass spectrometer, 470
Determination of oligonucleotide composition from mass spectrometrically measured molecular weight, 204
Determination of polycyclic aromatic hydrocarbons by high-performance liquid chromatography–particle beam–mass spectrometry, 898
Determination of positions, velocities, and kinetic energies of resonantly elicited ions in the quadrupole ion trap mass spectrometer by laser photodissociation, 792
Deuterium/hydrogen exchange, Methyl guanine isomer distinction by, using a Fourier transform mass spectrometer, 296
Dibenzothiophene subjected to negative chemical ionization with oxygen, Oxidation reactions of, 949
1,4-Difluorobenzene and fluorobenzene, on the acidity of: Gas-phase reactions between $O^{-\cdot}$ and C_6H_5F, 73
Dimethyl and monomethyl ethers, ethylene glycol, Functional group-selective ion–molecule reactions of, 97
Dimethyl ether ions, gas-phase reactions of amino alcohols with, site-selective, An investigation of, 230
Dimethyl ether ions, Selective ion–molecule reactions of, with lactams, 353
Diols, Gas-phase acidities of, 723
Dipole-Ion complex formation from deprotonated phenol fatty acid esters evidenced by using gas-phase labeling combined with tandem mass spectrometry, 343
Direct versus matrix-assisted laser desorption: Laser microprobe mass spectrometry of quaternary phosphonium salts, 798
Dissociation, collision-induced, high-energy, in tandem mass spectrometry, Low-mass ions produced from peptides by, 882
Dissociation, electron-induced, Energy deposition during, 145
Dissociation, on a rhenium oxide surface, High-efficiency surface-induced, 869
Dissociation, rate of, The effect of ion size on: RRKM calculations on model large polypeptide ions, 11
Dissociation, Surface-induced, from a liquid surface, 769
Dissociation energy, bond, of germane; Fourier transform-ion cyclotron resonance study of gas-phase acidities of germane and methylgermane, 54
Dissociation of multiply charged polypeptides, High-energy collision-induced, produced by electrospray, 652
Dissociation spectra, Delayed, of survivor ions from high-energy collisional activation, 845
DNA, double-stranded, oxidative damage to, Gas chromatographic-mass spectrometric method for the assessment of, by quantitation of thymine glycol residues, 336
Doped gelatin films as a model matrix for molecular secondary ion mass spectrometry studies of biological soft tissue, 419
Double-ionization energies of fluorinated benzene molecules, 513
Double-stranded DNA, oxidative damage to, Gas chromatographic-mass spectrometric method for the assessment of, by quantitation of thymine glycol residues, 336

Early gas chromatography/mass spectrometry, 367
Editorials
JASMS to 12 issues means faster turnaround, 1
Special issues on electrospray ionization, 523, 615
Effect of ion size on rate of dissociation, The: RRKM calculations on model large polypeptide ions, 11
Effects of air and helium on the performance of the ion trap detector when used for real-time monitoring of some atmospheric pollutants, The, 774
Electrically floating sampling interface, Inductively coupled plasma mass spectrometry with, 733

Electron capture negative ion mass spectra, not reproducible, Why are? An ion source problem, 270
Electron-induced dissociation, Energy deposition during, 145
Electronic archiving of data, improved, Networking mass spectrometer data systems for, 742
Electrospray, High-energy collision-induced dissociation of multiply charged polypeptides produced by, 652
Electrospray and tandem mass spectrometry, Identification of components in waste streams by, 604
Electrospray instrumentation, Fourier-transform, for tandem high-resolution mass spectrometry of large molecules, 557
Electrospray ionization, Special issues on (editorial), 523, 615
Electrospray ionization ion cyclotron resonance mass spectrometer, High-resolution accurate mass measurements of biomolecules using, 566
Electrospray ionization mass spectrometry, Applications of, to neutral organic molecules including fullerenes, 596
Electrospray ionization mass spectrometry, high mass-to-charge ratio ions from, Observations and implications of, 536
Electrospray ionization mass spectrometry, Probing the helical content of growth hormone-releasing factor analogs using, 646
Electrospray ionization mass spectrometry for analysis of low-molecular weight anticancer drugs and their analogues, 588
Electrospray ionization mass spectrometry of phosphopeptides isolated by on-line immobilized metal-ion affinity chromatography, 662
Electrospray ionization source, small-bore, Construction and characterization of, 964
Electrospray ions, Mass and charge assignment for, by cation adduction, 828
Electrospray liquid chromatography/mass spectrometry, Selective detection of phosphopeptides in complex mixtures by, 710
Electrospray mass spectrometry, Application of, in probing protein–protein and protein–ligand noncovalent interactions, 624
Electrospray mass spectrometry, evidence from: Stepwise refolding of acid-denatured myoglobin, 638
Electrospray mass spectrometry, Negative ion, of nucleotides: ionization from water solution with SF_6 discharge suppression, 289
Electrospray mass spectrometry, Negative ion formation in, 578
Electrospray mass spectrometry and matrix-assisted laser desorption ionization time-of-flight mass spectrometry, Application of, for molecular weight assignment of peptides in complex mixtures, 670
Energy, geometry and time, roles of: Ion formation from charged droplets, 524
Energy deposition during electron-induced dissociation, 145
Energy spectra, translational, angle-resolved, of survivor ions, High-energy collisional activation studied via, 835
Enlarged sampling orifice and offset ion lens, Inductively coupled plasma mass spectrometry with. I. Ion trajectories and detector performance, 16
Enlarged sampling orifice and offset ion lens, Inductively coupled plasma mass spectrometry with. II. Polyatomic ion interferences and matrix effects, 28
Erratum, 834
Errors, systematic, originating from Coulomb mutual interaction and image charge in Fourier transform ion cyclotron resonance precise mass difference measurements, Analysis and estimation of, 855
Esters, deprotonated phenol fatty acid, Ion-dipole complex formation from, evidenced by using gas-phase labeling combined with tandem mass spectrometry, 343
Ether ions, dimethyl, gas-phase reactions of amino alcohols with, site-selective, An investigation of, 230
Ether ions, dimethyl, Selective ion–molecule reactions of, with lactams, 353
Ethers, ethylene glycol, monomethyl and dimethyl, Functional group-selective ion–molecule reactions of, 97
Ethers, Trimethylsilyl, of cholesterol oxidation products, mass spectra of, Trimethylsilyl group migration in. Product ion characterization by linked-scan tandem mass spectrometry, 327
Ethylene glycol and its monomethyl and dimethyl ethers, Functional group-selective ion–molecule reactions of, 97
Evaluation of the true effect of experimental parameters on the reduction/oxidation processes observed in fast-atom bombardment/liquid secondary ion mass spectrometry, 482
Excitation modes for Fourier transform-ion cyclotron resonance mass spectrometry, 433
Experimental parameters, true effect of, on the reduction/oxidation processes observed in fast-atom bombardment/liquid secondary ion mass spectrometry, Evaluation of, 482
External ion injection in glow discharge–Fourier transform ion cyclotron resonance mass spectrometry, ion guide for, An improved, 387
External source Fourier transform mass spectrometer, oligosaccharide cations produced in, "Slow" metastable decomposition of, 210

Fast-atom bombardment by tandem mass spectrometry/liquid secondary ion mass spectrometry, beam-induced reactions occurring in, Characterization of, 312
Fast atom bombardment-desorbed $(M + H)^+$, $(M + Cat)^+$, and $(M - H)^-$ ions of aromatic β-hydroxyoximes, Charge-remote fragmentation and the two-step elimination of alkanols from, 819
Fast-atom bombardment/liquid secondary ion mass spectrometry, reduction/oxidation processes observed in, true effect of experimental parameters on, Evaluation of, 482
Fast-atom bombardment/mass spectrometry, Multisample probe for, 504
Fast-atom bombardment mass spectrometry, A study of the solution and gas-phase chemistry of Mn(III) and Fe(III) tetraarylporphyrin complexes by. 1: Generation of molecular signals, 249
Fast-atom bombardment mass spectrometry, A study of the solution and gas-phase chemistry of Mn(III) and Fe(III) tetraarylporphyrin complexes by. 2: Synthesis and characterization of molecular complexes, 255
Fast-atom bombardment mass spectrometry, Injection of reagent ions into the selvedge region in, 259
Fast-atom bombardment mass spectrometry, Redox processes by ruthenium(II) polypyridine complexes induced by, 306
Fast-atom bombardment of the cyclic acetals: evidence indicating the predominant involvement of condensed-phase processes in ionization, 493
Fatty acid esters, deprotonated phenol, Ion-dipole complex formation from, evidenced by using gas-phase labeling combined with tandem mass spectrometry, 343
Fatty acid methyl esters, molecular ion derived from, Low-energy tandem mass spectrometry of: a novel method for analysis of branched-chain fatty acids, 223
Fatty acids, branched-chain, analysis of, a novel method for:

Low-energy tandem mass spectrometry of the molecular ion derived from fatty acid methyl esters, 223
Fe, Al, Co, Cu, ScO, M(acetone)$_2^+$, Collision-induced and infrared multiphoton dissociation studies on, in the gas phase, 135
Fe$^+$ chemical ionization of peptides, 106
Fe(III) and Mn(III) tetraarylporphyrin complexes, solution and gas phase chemistry of, A study of, by fast-atom bombardment mass spectrometry. 1: Generation of molecular signals, 249
Fe(III) and Mn(III) tetraarylporphyrin complexes, solution and gas phase chemistry of, A study of, by fast-atom bombardment mass spectrometry. 2: Synthesis and characterization of molecular complexes, 255
Flame, $C_2H_4/N_2O/Ar$, study of: Triple quadrupole mass spectrometry as applied to flame diagnostics, 152
Flame diagnostics, Triple quadrupole mass spectrometry as applied to: study of the $C_2H_4/N_2O/Ar$ flame, 152
Floating sampling interface, electrically, Inductively coupled plasma mass spectrometry with, 733
Fluorinated benzene molecules, Double-ionization energies of, 513
Fluorobenzene and 1,4-Difluorobenzene, on the acidity of: Gas-phase reactions between $O^{-\cdot}$ and C_6H_5F, 73
Formation and emission of tetraalkylammonium salt molecular ions sputtered from a gelatin matrix, 930
Fourier-transform electrospray instrumentation for tandem high-resolution mass spectrometry of large molecules, 557
Fourier transform ion cyclotron resonance, Two-dimensional Coulomb-induced frequency modulation in: a mechanism for line broadening at high mass and for large ion populations, 909
Fourier transform ion cyclotron resonance mass spectrometer, Concentric tube vacuum chamber for high magnetic field, 168
Fourier transform ion cyclotron resonance mass spectrometry, High-frequency, 177
Fourier transform-ion cyclotron resonance mass spectrometry, Excitation modes for, 433
Fourier-transform ion-cyclotron-resonance mass spectrometry, Improved, of large biomolecules, 190
Fourier transform ion cyclotron resonance mass spectrometry–glow discharge, external ion injection in, ion guide for, An improved, 387
Fourier transform ion cyclotron resonance precise mass difference measurements, Coulomb mutual interaction and image charge in, systematic errors originating from, Analysis and estimation of, 855
Fourier transform-ion cyclotron resonance study of the gas-phase acidities of germane and methylgermane; bond dissociation energy of germane, 54
Fourier transform mass spectrometer, external source, oligosaccharide cations produced in, "Slow" metastable decomposition of, 210
Fourier transform mass spectrometer, Methyl guanine isomer distinction by hydrogen/deuterium exchange using, 296
Fourier transform mass spectrometry, high mass detection in, Ion cloud manipulation using the radiofrequency-only mode as an improvement for, 186
Fourier transform mass spectrometry, laser desorption, analysis of hydrocarbon polymers by, Silver nitrate chemical ionization for, 453
Fragment ion type, new, in the collision-induced dissociation spectra of peptides, Identification of: formation of a_2-16 ions, 424
Fragmentation, Charge-remote, and the two-step elimination of alkanols from fast atom bombardment-desorbed (M + H)$^+$, (M + Cat)$^+$, and (M – H)$^-$ ions of aromatic β-hydroxyoximes, 819
Fragmentation, high-energy, of protonated peptides, Determination of, using a BEqQ hybrid mass spectrometer, 470
Frequency modulation, Two-dimensional Coulomb-induced, in Fourier transform ion cyclotron resonance: a mechanism for line broadening at high mass and for large ion populations, 909
Fullerene, C_{60}, Gas-phase alkylation of, by ion–molecule reaction under chemical ionization, 894
Fullerenes, neutral organic molecules including, Applications of electrospray ionization mass spectrometry to, 596
Functional group-selective ion–molecule reactions of ethylene glycol and its monomethyl and dimethyl ethers, 97

Gas chromatographic-mass spectrometric method for the assessment of oxidative damage to double-stranded DNA by quantification of thymine glycol residues, 336
Gas/chromatography/mass spectrometry, Early, 367
Gas phase, Collision-induced and infrared multiphoton dissociation studies on M(acetone)$_2^+$ (M = Al, Fe, Co, Cu, ScO) in, 135
Gas phase, Dehydration of peptide [M + H]$^+$ ions in, 477
Gas phase, substituted cyclopentadienylmanganese cations in, Metastable ion study of, 216
Gas-phase acidities of diols, 723
Gas-phase acidities of germane and methylgermane; Fourier transform-ion cyclotron resonance study of, bond dissociation energy of germane, 54
Gas-phase aldose–ketose isomerization, Mechanism of: a study using tandem mass spectrometry and theoretical calculations, 943
Gas-phase basicities and ammonium ion affinities of polyethers, orders of, Comparison of, by kinetic method and ligand exchange technique, 718
Gas-phase bond strengths of CO_2 and N_2O, Comparative study of, with the halide ions, 58
Gas-phase $C_7F_7^+$ ions, Structures of, 813
Gas-phase cationization and protonation of neutrals generated by matrix-assisted laser desorption, 393
Gas-phase chemistry of Mn(III) and Fe(III) tetraarylporphyrin complexes, A study of, by fast-atom bombardment mass spectrometry 1: Generation of molecular signals, 249
Gas-phase chemistry of Mn(III) and Fe(III) tetraarylporphyrin complexes, A study of, by fast-atom bombardment mass spectrometry, A. 2: Synthesis and characterization of molecular complexes, 255
Gas-phase complexation of polyethers with halide ions, 242
Gas-phase halo alkylation of C_{60}-fullerene by ion–molecule reaction under chemical ionization, 894
Gas-phase labeling combined with tandem mass spectrometry, Ion-dipole complex formation from deprotonated phenol fatty acid esters evidenced by, 343
Gas-phase reactions between $O^{-\cdot}$ and C_6H_5F: on the acidity of fluorobenzene and 1,4-difluorobenzene, 73
Gas-phase reactions of amino alcohols with dimethyl ether ions, site-selective, An investigation of, 230
Gelatin films, Doped, as a model matrix for molecular secondary ion mass spectrometry studies of biological soft tissue, 419
Gelatin matrix, tetraalkylammonium salt molecular ions sputtered from, Formation and emission of, 930
Geometry, energy, and time, roles of: Ion formation from charged droplets, 524

Germane, bond dissociation energy; Fourier transform-ion cyclotron resonance study of gas-phase acidities of germane and methylgermane, 54
Glow discharge–Fourier transform ion cyclotron resonance mass spectrometry, external ion injection in, ion guide for, An improved, 387
Glow discharge mass spectrometer, high-resolution, operated with an argon/hydrogen mixture, Relative ion yields measured with, 278
Glow discharge mass spectrometry, Analysis of solution residues by, 47
Gridless ion acceleration systems for time-of-flight mass spectrometry, 782
Group-selective ion–molecule reactions, Functional, of ethylene glycol and its monomethyl and dimethyl ethers, 97
Growth hormone-releasing factor analogs, helical content of, Probing, using electrospray ionization mass spectrometry, 646

Halide ions, Comparative study of the gas-phase bond strengths of CO_2 and N_2O with, 58
Halide ions, Gas-phase complexation of polyethers with, 242
Halo alkylation, Gas-phase, of C_{60}-fullerene by ion–molecule reaction under chemical ionization, 894
Helical content of growth hormone-releasing factor analogs, Probing, using electrospray ionization mass spectrometry, 646
Helium and air, The effects of, on the performance of the ion trap detector when used for real-time monitoring of some atmospheric pollutants, 774
Heme binding in myoglobin, hemoglobin, and cytochrome *c*, Studies on, by ion spray mass spectrometry, 631
Hemoglobin, myoglobin, and cytochrome *c*, heme binding in, Studies on, by ion spray mass spectrometry, 631
Heterodimers, cationized, of amino acids, Decompositions of, in relation to charge location in peptide ions, 461
High efficiency photo-induced dissociation of precursor ions in a tandem time-of-flight mass spectrometer, 751
High-efficiency surface-induced dissociation on a rhenium oxide surface, 869
High-energy collision-induced dissociation in tandem mass spectrometry, Low-mass ions produced from peptides by, 882
High-energy collision-induced dissociation of multiply charged polypeptides produced by electrospray, 652
High-energy collisional activation, Delayed dissociation spectra of survivor ions from, 845
High-energy collisional activation studied via angle-resolved translational energy spectra of survivor ions, 835
High-energy fragmentation of protonated peptides, Determination of, using a BEqQ hybrid mass spectrometer, 470
High-frequency Fourier transform ion cyclotron resonance mass spectrometry, 177
High magnetic field, Concentric tube vacuum chamber for, high-pressure ionization in a Fourier transform ion cyclotron resonance mass spectrometer, 168
High mass, line broadening at, and for large ion populations, a mechanism for: Two-dimensional Coulomb-induced frequency modulation in Fourier transform ion cyclotron resonance, 909
High mass detection in Fourier transform mass spectrometry, Ion cloud manipulation using the radiofrequency-only mode as an improvement for, 186
High mass-to-charge-ratio ions from electrospray ionization mass spectrometry, Observations and implications of, 536
High-performance liquid chromatography–particle beam–mass spectrometry, Determination of polycyclic aromatic hydrocarbons by, 898
High-pressure ionization in a Fourier transform ion cyclotron resonance mass spectrometer, Concentric tube vacuum chamber for high magnetic field, 168
High-resolution accurate mass measurements of biomolecules using a new electrospray ionization ion cyclotron resonance mass spectrometer, 566
High-resolution glow discharge mass spectrometer operated with an argon/hydrogen mixture, Relative ion yields measured with, 278
High-resolution mass spectrometry, Tandem, of large molecules, Fourier-transform electrospray instrumentation for, 557
High-resolution mass spectrometry of large molecules in a linear time-of-flight mass spectrometer, 2
Hydrocarbon polymers, analysis of, by laser desorption Fourier transform mass spectrometry, Silver nitrate chemical ionization for, 453
Hydrocarbons, polycyclic aromatic, Determination of, by high-performance liquid chromatography–particle beam–mass spectrometry, 898
Hydrogen/argon mixture, high-resolution glow discharge mass spectrometer operated with, Relative ion yields measured with, 278
Hydrogen/deuterium exchange, Methyl guanine isomer distinction by, using a Fourier transform mass spectrometer, 296
Hydroxyoximes, β, aromatic, $(M + H)^+$, $(M + Cat)^+$, and $(M - H)^-$ ions of, Charge-remote fragmentation and the two-step elimination of alkanols from, 819
2-(4-hydroxyphenylazo)benzoic acid matrix, Matrix-assisted laser desorption ionization mass spectrometry with, 399
Hyperthermal ion beams at self-assembled monolayer surfaces, reactions of, XeF^+, IF^+, and other unusual ions generated by, 938

Identification of a new fragment ion type in the collision-induced dissociation spectra of peptides: formation of a_2-16 ions, 424
Identification of components in waste streams by electrospray and tandem mass spectrometry, 604
IF^+, XeF^+, and other unusual ions generated by reactions of hyperthermal ion beams at self-assembled monolayer surfaces, 938
Image charge and Coulomb mutual interaction, in Fourier transform ion cyclotron resonance precise mass difference measurements, systematic errors originating from, Analysis and estimation of, 855
Improved Fourier-transform ion-cyclotron-resonance mass spectrometry of large biomolecules, 190
Improved ion guide for external ion injection in glow discharge–Fourier transform ion cyclotron resonance mass spectrometry, An, 387
Inductively coupled plasma mass spectrometry with an electrically floating sampling interface, 733
Inductively coupled plasma mass spectrometry with an enlarged sampling orifice and offset ion lens. I. Ion trajectories and detector performance, 16
Inductively coupled plasma mass spectrometry with an enlarged sampling orifice and offset ion lens. II. Polyatomic ion interferences and matrix effects, 28
Infrared and Collision-induced multiphoton dissociation studies on $M(acetone)_2^+$ (M = Al, Fe, Co, Cu, ScO) in the gas phase, 135
Injection of reagent ions into the selvedge region in fast-atom bombardment mass spectrometry, 259

Investigation of site-selective gas-phase reactions of amino alcohols with dimethyl ether ions, An, 230
Ion acceleration systems. Gridless, for time-of-flight mass spectrometry, 782
Ion beams, hyperthermal, reactions of, at self-assembled monolayer surfaces, XeF^+, IF^+, and other unusual ions generated by, 938
Ion cloud manipulation using the radiofrequency-only mode as an improvement for high mass detection in Fourier transform mass spectrometry, 186
Ion cyclotron resonance, electrospray ionization mass spectrometer, High-resolution accurate mass measurements of biomolecules using, 566
Ion cyclotron resonance, Fourier transform, Two-dimensional Coulomb-induced frequency modulation in: a mechanism for line broadening at high mass and for large ion populations, 909
Ion cyclotron resonance mass spectrometer, Fourier transform, Concentric tube vacuum chamber for high magnetic field, 168
Ion cyclotron resonance mass spectrometry, Fourier transform, Excitation modes for, 433
Ion cyclotron resonance mass spectrometry, Fourier transform, High-frequency, 177
Ion-cyclotron-resonance mass spectrometry, Fourier-transform, Improved, of large biomolecules, 190
Ion cyclotron resonance mass spectrometry, glow discharge–Fourier transform, external ion injection in, ion guide for, An improved, 387
Ion cyclotron resonance precise mass difference measurements, Fourier transform, Coulomb mutual interaction and image charge in, systematic errors originating from, Analysis and estimation of, 855
Ion cyclotron resonance study-Fourier transform, of the gas-phase acidities of germane and methylgermane; bond dissociation energy of germane, 54
Ion-dipole complex formation from deprotonated phenol fatty acid esters evidenced by using gas-phase labeling combined with tandem mass spectrometry, 343
Ion formation from charged droplets: roles of geometry, energy, and time, 524
Ion formation processes in the afterpeak time regime of pulsed glow discharge plasmas, 727
Ion guide, improved, for external ion injection in glow discharge–Fourier transform ion cyclotron resonance mass spectrometry, An, 387
Ion interferences, polyatomic, and matrix effects. II. Inductively coupled plasma mass spectrometry with an enlarged sampling orifice and offset ion lens, 28
Ion-ion recombination, Role of, for alkali chloride cluster formation in liquid secondary ion mass spectrometry, 410
Ion lens, offset, Inductively coupled plasma mass spectrometry with an enlarged sampling orifice and. I. Ion trajectories and detector performance, 16
Ion lens, offset, Inductively coupled plasma mass spectrometry with an enlarged sampling orifice and. II. Polyatomic ion interferences and matrix effects, 28
Ion–molecule reaction under chemical ionization, Gas-phase halo alkylation of C_{60}-fullerene by, 894
Ion–molecule reactions, Functional group-selective, of ethylene glycol and its monomethyl and dimethyl ethers, 97
Ion–molecule reactions, Selective, of lactams with dimethyl ether ions, 352
Ion–molecule reactions in mixtures of trimethylaluminum and methylamines, 111
Ion populations, large, line broadening at, a mechanism for: Two-dimensional Coulomb-induced frequency modulation in Fourier transform ion cyclotron resonance, 909
Ion size, The effect of, on rate of dissociation: RRKM calculations on model large polypeptide ions, 11
Ion source problem, Why are electron capture negative ion mass spectra not reproducible?, 270
Ion source residence time, effective, estimating, A simple method for, 787
Ion spray mass spectrometry, Studies on heme binding in myoglobin, hemoglobin, and cytochrome *c* by, 631
Ion storage in a quadrupole ion trap, Nonlinear resonance effects during, 917
Ion study, Metastable, of substituted cyclopentadienylmanganese cations in the gas phase, 216
Ion trajectories, single, in Paul-type ion traps, Computer simulation of, 687
Ion trajectories and detector performance. I. Inductively coupled plasma mass spectrometry with an enlarged sampling orifice and offset ion lens, 16
Ion trap, quadrupole, ion storage in, Nonlinear resonance effects during, 917
Ion trap detector, performance, The effects of air and helium on, when used for real-time monitoring of some atmospheric pollutants, 774
Ion trap mass spectrometer, laser desorption in, sensitivity for, A method for increasing, 706
Ion trap mass spectrometer, quadrupole, Coupling a particle beam interface directly to, 38
Ion trap mass spectrometer, quadrupole, positions, velocities, and kinetic energies of resonantly elicited ions in, Determination of, by laser photodissociation, 792
Ion trap mass spectrometry, Laser desorption, of self-assembled monolayers, 968
Ion trap mass spectrometry, Selective chemical ionization of nitrogen and sulfur heterocycles in petroleum fractions by, 322
Ion traps, Paul-type, single-ion trajectories in, Computer simulation of, 687
Ion type, new fragment, in the collision-induced dissociation spectra of peptides, Identification of: formation of a_2-16 ions, 424
Ion yields, Relative, measured with a high-resolution glow discharge mass spectrometer operated with an argon/hydrogen mixture, 278
Ionization, chemical, ion–molecule reaction under, Gas-phase halo alkylation of C_{60}-fullerene by, 894
Ionization, chemical, of peptides, Fe^+, 106
Ionization, chemical, Silver nitrate, for analysis of hydrocarbon polymers by laser desorption Fourier transform mass spectrometry, 453
Ionization, Competitive, of tetraphenylporphyrin in a laser-generated metal ion plasma, 159
Ionization, condensed-phase processes in, evidence indicating: Fast-atom bombardment of the cyclic acetals, 493
Ionization, electrospray, Special issues on (editorials), 523, 615 Ionization, high-pressure, in a Fourier transform ion cyclotron resonance mass spectrometer, Concentric tube vacuum chamber for high magnetic field, 168
Ionization, negative chemical, with oxygen, dibenzothiophene subjected to, Oxidation reactions of, 949
Ionization energies, Double, of fluorinated benzene molecules, 513
Ionization from water solution with SF_6 discharge suppression: Negative ion electrospray mass spectrometry of nucleotides, 289

Ionization source, electrospray, small-bore, Construction and characterization of, 964
Ionization time-of-flight mass spectrometry, matrix-assisted laser desorption, and electrospray mass spectrometry, Application of, for molecular weight assignment of peptides in complex mixtures, 670
Isomerization, aldose–ketose, gas-phase, Mechanism of: a study using tandem mass spectrometry and theoretical calculations, 943

JASMS to 12 issues means faster turnaround (editorial), 1

Ketose–aldose isomerization, gas-phase, Mechanism of: a study using tandem mass spectrometry and theoretical calculations, 943
Kinetic energies, positions, velocities and, of resonantly elicited ions in the quadrupole ion trap mass spectrometer. Determination of, by laser photodissociation, 792
Kinetic method and ligand exchange technique, Comparison of the orders of gas-phase basicities and ammonium ion affinities of polyethers by, 718

Lactams, Selective ion–molecule reactions of, with dimethyl ether ions, 353
Large biomolecules, Fourier-transform ion-cyclotron resonance mass spectrometry of, Improved, 190
Large ion populations, line broadening at, a mechanism for: Two-dimensional Coulomb-induced frequency modulation in Fourier transform ion cyclotron resonance, 909
Large molecules, tandem high-resolution mass spectrometry of, Fourier-transform electrospray instrumentation for, 557
Large molecules in a linear time-of-flight mass spectrometer, High-resolution mass spectrometry of, 2
Laser desorption, direct versus matrix-assisted: Laser microprobe mass spectrometry of quaternary phosphonium salts, 798
Laser desorption, matrix-assisted, neutrals generated by, Gas-phase cationization and protonation of, 393
Laser desorption in an ion trap mass spectrometer, sensitivity for, A method for increasing, 706
Laser desorption mass spectrometry, Fourier transform analysis of hydrocarbon polymers by, Silver nitrate chemical ionization for, 453
Laser desorption mass spectrometry, ion trap, of self-assembled monolayers, 968
Laser desorption mass spectrometry, ionization, Matrix-assisted, with 2-(4-hydroxyphenylazo)benzoic acid matrix, 399
Laser desorption mass spectrometry, ionization, time-of-flight, matrix-assisted, and electrospray mass spectrometry, Application of, for molecular weight assignment of peptides in complex mixtures, 670
Laser desorption mass spectrometry, negative-ion matrix-assisted, Analysis of oligodeoxynucleotides by, 955
Laser-generated metal ion plasma, Competitive ionization of tetraphenylporphyrin in, 159
Laser microprobe mass spectrometry of quaternary phosphonium salts: direct versus matrix-assisted laser desorption, 798
Laser photodissociation, Determination of positions, velocities, and kinetic energies of resonantly elicited ions in the quadrupole ion trap mass spectrometer by, 792
Letter to the editor, 363
Ligand exchange technique and kinetic method, Comparison of the orders of gas-phase basicities and ammonium ion affinities of polyethers by, 718
Ligand–protein and protein–protein noncovalent interactions, probing, Application of electrospray mass spectrometry in, 624
Line broadening at high mass and for large ion populations, a mechanism for: Two-dimensional Coulomb-induced frequency modulation in Fourier transform ion cyclotron resonance, 909
Linear time-of-flight mass spectrometer, large molecules in, High-resolution mass spectrometry of, 2
Linkage position, assignment of, influence of the collision energy and of the collision gas for: Collision-induced dissociation of alkali metal cationized and permethylated oligosaccharides, 197
Linked-scan tandem mass spectrometry. Product ion characterization by. Trimethylsilyl group migration in the mass spectra of trimethylsilyl ethers of cholesterol oxidation products, 327
Liquid chromatography, electrospray/mass spectrometry, Selective detection of phosphopeptides in complex mixtures by, 710
Liquid chromatography, high-performance–particle beam–mass spectrometry, Determination of polycyclic aromatic hydrocarbons by, 898
Liquid secondary ion mass spectrometry, alkali chloride cluster formation in, ion-ion recombination for, Role of, 410
Liquid secondary ion mass spectrometry/fast-atom bombardment, reduction/oxidation processes observed in, true effect of experimental parameters on, Evaluation of, 482
Liquid secondary ion mass spectrometry/fast-atom bombardment by tandem mass spectrometry, beam-induced reactions occurring in, Characterization of, 312
Liquid surface, Surface-induced dissociation from, 769
Low-energy tandem mass spectrometry of the molecular ion derived from fatty acid methyl esters: a novel method for analysis of branched-chain fatty acids, 223
Low-mass ions produced from peptides by high-energy collision-induced dissociation in tandem mass spectrometry, 882
Low-molecular weight anticancer drugs and their analogues, analysis of, Electrospray ionization mass spectrometry for, 588

$M(acetone)_2^+$ (M = Al, Fe, Co, Cu, ScO) in the gas phase, Collision-induced and infrared multiphoton dissociation studies on, 135
M = Al, Fe, Co, Cu, ScO, $M(acetone)_2^+$, Collision-induced and infrared multiphoton dissociation studies on, in the gas phase, 135
$(M + Cat)^+$, $(M + H)^+$, and $(M - H)^-$ ions of aromatic β-hydroxyoximes, Charge-remote fragmentation and the two-step elimination of alkanols from, 819
$(M + H)^+$, $(M + Cat)^+$, and $(M - H)^-$ ions of aromatic β-hydroxyoximes, Charge-remote fragmentation and the two-step elimination of alkanols from, 819
$(M - H)^-$, $(M + H)^+$, and $(M + Cat)^+$ ions of aromatic β-hydroxyoximes, Charge-remote fragmentation and the two-step elimination of alkanols from, 819
$[M + H]^+$ peptide ions,, Dehydration of, in the gas phase, 477
Magnetic field, high, Concentric tube vacuum chamber for, high-pressure ionization in a Fourier transform ion cyclotron resonance mass spectrometer, 168
Mass and charge assignment for electrospray ions by cation adduction, 828
Mass difference measurements, precise, Fourier transform ion cyclotron resonance, Coulomb mutual interaction and image charge in, systematic errors originating from, Analysis and estimation of, 855

Mass measurements, High-resolution accurate, of biomolecules using a new electrospray ionization ion cyclotron resonance mass spectrometer, 566
Mass spectra, electron capture negative ion, not reproducible? Why are? An ion source problem, 270
Mass spectra of trimethylsilyl ethers of cholesterol oxidation products, Trimethylsilyl group migration in. Product ion characterization by linked-scan tandem mass spectrometry, 327
Mass spectrograph, A new, 372
Mass spectrometer, BEqQ hybrid, Determination of high-energy fragmentation of protonated peptides using, 470
Mass spectrometer, electrospray ionization ion cyclotron resonance, High-resolution accurate mass measurements of biomolecules using, 566
Mass spectrometer, Fourier transform, external source, oligosaccharide cations produced in, "Slow" metastable decomposition of, 210
Mass spectrometer, Fourier transform, Methyl guanine isomer distinction by hydrogen/deuterium exchange using, 296
Mass spectrometer, Fourier transform ion cyclotron resonance, Concentric tube vacuum chamber for high magnetic field, 168
Mass spectrometer, glow discharge, high-resolution, operated with an argon/hydrogen mixture, Relative ion yields measured with, 278
Mass spectrometer, ion trap, laser desorption in, sensitivity for, A method for increasing, 706
Mass spectrometer, ion tap, quadrupole, Coupling a particle beam directly interface to, 38
Mass spectrometer, ion trap, quadrupole, positions, velocities, and kinetic energies of resonantly elicited ions in, Determination of, by laser photodissociation, 792
Mass spectrometer, time-of-flight, linear, large molecules in, High-resolution mass spectrometry of, 2
Mass spectrometer, time-of-flight, tandem, High efficiency photo-induced dissociation of precursor ions in, 751
Mass spectrometer data systems, Networking, for improved productivity and electronic archiving of data, 742
Mass spectrometric-Gas chromatographic method for the assessment of oxidative damage to double-stranded DNA by quantification of thymine glycol residues, 336
Mass spectrometrically measured molecular weight, Determination of oligonucleotide composition from, 204
Mass spectrometry, electrospray, and matrix-assisted laser desorption ionization time-of-flight, Application of, for molecular weight assignment of peptides in complex mixtures, 670
Mass spectrometry, electrospray, Application of, in probing protein–protein and protein–ligand noncovalent interactions, 624
Mass spectrometry, electrospray, evidence from: Stepwise refolding of acid-denatured myoglobin, 638
Mass spectrometry, electrospray, Identification of components in waste streams by, 604
Mass spectrometry, electrospray, negative ion, analyte charge state, signal intensity, and stability in, Solvent effect on; implications for the mechanism of negative ion formation, 546
Mass spectrometry, electrospray, Negative ion, of nucleotides: ionization from water solution with SF_6 discharge suppression, 289
Mass spectrometry, electrospray, Negative ion formation in, 578
Mass spectrometry, electrospray ionization, Applications of, to neutral organic molecules including fullerenes, 596
Mass spectrometry, Electrospray ionization, for analysis of low-molecular weight anticancer drugs and their analogues, 588
Mass spectrometry, electrospray ionization, high mass-to-charge ratio ions from, Observations and implications of, 536
Mass spectrometry, Electrospray ionization, of phosphopeptides isolated by on-line immobilized metal-ion affinity chromatography, 662
Mass spectrometry, electrospray ionization, Probing the helical content of growth hormone-releasing factor analogs using, 646
Mass spectrometry/electrospray liquid chromatography, Selective detection of phosphopeptides in complex mixtures by, 710
Mass spectrometry, fast-atom bombardment, A study of the solution and gas-phase chemistry of Mn(III) and Fe(III) tetraarylporphyrin complexes by. 1: Generation of molecular signals, 249
Mass spectrometry, fast-atom bombardment, A study of the solution and gas-phase chemistry of Mn(III) and Fe(III) tetraarylporphyrin complexes by. 2: Synthesis and characterization of molecular complexes, 255
Mass spectrometry, fast-atom bombardment, Injection of reagent ions into the selvedge region in, 259
Mass spectrometry, fast-atom bombardment/liquid secondary ion, reduction/oxidation processes observed in, true effect of experimental parameters on, Evaluation of, 482
Mass spectrometry/fast-atom bombardment, Multisample probe for, 504
Mass spectrometry, fast-atom bombardment, Redox processes by ruthenium(II) polypyridine complexes induced by, 306
Mass spectrometry, Fourier transform, high mass detection in, Ion cloud manipulation using the radiofrequency-only mode as an improvement for, 186
Mass spectrometry, Fourier transform, laser desorption, analysis of hydrocarbon polymers by, Silver nitrate chemical ionization for, 453
Mass spectrometry, Fourier transform ion cyclotron–glow discharge, external ion injection in, ion guide for, An improved, 387
Mass spectrometry, Fourier transform-ion cyclotron resonance, Excitation modes for, 433
Mass spectrometry, Fourier transform ion cyclotron resonance, High-frequency, 177
Mass spectrometry, Fourier transform ion-cyclotron-resonance, Improved, of large biomolecules, 190
Mass spectrometry/gas chromatography, Early, 367
Mass spectrometry, glow discharge, Analysis of solution residues by, 47
Mass spectrometry, glow-discharge–Fourier transform ion cyclotron, external ion injection in, ion guide for, An improved, 387
Mass spectrometry, High-resolution, of large molecules in a linear time-of-flight mass spectrometer, 2
Mass spectrometry, ion spray, Studies on heme binding in myoglobin, hemoglobin, and cytochrome *c* by, 631
Mass spectrometry, ion trap, Selective chemical ionization of nitrogen and sulfur heterocycles in petroleum fractions by, 322
Mass spectrometry, Laser desorption, ion trap, of self-assembled monolayers, 968
Mass spectrometry, laser desorption, negative-ion matrix-assisted, Analysis of oligodeoxynucleotides by, 955
Mass spectrometry, Laser microprobe, of quaternary phosphonium salts: direct versus matrix-assisted laser desorption, 798

Mass spectrometry, liquid secondary ion, alkali chloride cluster formation in, ion-ion recombination for, Role of, 410
Mass spectrometry, liquid secondary ion/fast-atom bombardment by tandem mass spectrometry, beam-induced reactions occurring in, Characterization of, 312
Mass spectrometry, matrix-assisted laser desorption ionization, time-of-flight, Application of, for molecular weight assignment of peptides in complex mixtures, 670
Mass spectrometry, Matrix-assisted laser desorption ionization, with 2-(4-hydroxyphenylazo)benzoic acid matrix, 399
Mass spectrometry, molecular secondary ion, studies of biological soft tissues, a model matrix for, Doped gelatin films as, 419
Mass spectrometry, Multiple-stage, in structural characterization of organophosphorus compounds, 125
Mass spectrometry, particle beam–high-performance liquid chromatography, Determination of polycyclic aromatic hydrocarbons by, 898
Mass spectrometry, photodissociation–photoionization, Unimolecular photochemistry of *n*-alkenes studied by, 65
Mass spectrometry, plasma, Inductively coupled, with an electrically floating sampling interface, 733
Mass spectrometry, plasma, Inductively coupled, with an enlarged sampling orifice and offset ion lens. I. Ion trajectories and detector performance, 16
Mass spectrometry, plasma, Inductively coupled, with an enlarged sampling orifice and offset ion lens. II. Polyatomic ion interferences and matrix effects, 28
Mass spectrometry, tandem, and theoretical calculations, a study using: Mechanism of gas-phase aldose–ketose isomerization, 943
Mass spectrometry, tandem, fast-atom bombardment by/liquid secondary ion mass spectrometry, beam-induced reactions occurring in, Characterization of, 312
Mass spectrometry, tandem, gas-phase labeling combined with, Ion-dipole complex formation from deprotonated phenol fatty acid esters evidenced by, 343
Mass spectrometry, tandem, high-energy collision-induced dissociation in, Low-mass ions produced from peptides by, 882
Mass spectrometry, tandem, high-resolution, of large molecules, Fourier-transform electrospray instrumentation for, 557
Mass spectrometry, tandem, Identification of components in waste streams by, 604
Mass spectrometry, tandem, linked-scan. Product ion characterization by. Trimethylsilyl group migration in the mass spectra of trimethylsilyl ethers of cholesterol oxidation products, 327
Mass spectrometry, tandem, Low-energy, of the molecular ion derived from fatty acid methyl esters: a novel method for analysis of branched-chain fatty acids, 223
Mass spectrometry, time-of-flight, Gridless ion acceleration systems for, 782
Mass spectrometry, Triple quadrupole, as applied to flame diagnostics: study of the $C_2H_4/N_2O/Ar$ flame, 152
Mass spectrometry, Utility of *N*-peracetylation of proteins for their structure determination by, 87
Matrix-assisted laser desorption, direct versus: Laser microprobe mass spectrometry of quaternary phosphonium salts, 798
Matrix-assisted laser desorption, neutrals generated by, Gas-phase cationization and protonation of, 393
Matrix-assisted laser desorption ionization mass spectrometry with 2-(4-hydroxyphenylazo)benzoic acid matrix, 399
Matrix-assisted laser desorption ionization time-of-flight mass spectrometry and electrospray mass spectrometry, Application of, for molecular weight assignment of peptides in complex mixtures, 670
Matrix-assisted laser desorption mass spectrometry, negative-ion, Analysis of oligodeoxynucleotides by, 955
Matrix effects, Polyatomic ion interferences and. II. Inductively coupled plasma mass spectrometry with an enlarged sampling orifice and offset ion lens, 28
Mechanism of gas-phase aldose–ketose isomerization: a study using tandem mass spectrometry and theoretical calculations, 943
Metal-ion affinity chromatography, on-line immobilized, phosphopeptides isolated by, Electrospray ionization mass spectrometry of, 662
Metal ion plasma, laser-generated, Competitive ionization of tetraphenylporphyrin in, 159
Metaphosphate anion, monomeric, Tropylium, chlorine isotopic abundances, and Conestoga wagon theory, 761
Metastable decomposition, Slow, of oligosaccharide cations produced in an external source Fourier transform mass spectrometer, 210
Metastable ion study of substituted cyclopentadienylmanganese cations in the gas phase, 216
Method of increasing the sensitivity for laser desorption in an ion trap mass spectrometer, A, 706
Methyl esters, fatty acid, molecular ion derived from, Low-energy tandem mass spectrometry of: a novel method for analysis of branched-chain fatty acids, 223
Methyl guanine isomer distinction by hydrogen/deuterium exchange using a Fourier transform mass spectrometer, 296
Methylamines and trimethylaluminum mixtures, Ion–molecule reactions in, 111
Methylgermane and germane, gas-phase acidities of; Fourier transform-ion cyclotron resonance study of, bond dissociation energy of germane, 54
Microprobe mass spectrometry. Laser, of quaternary phosphonium salts: direct versus matrix-assisted laser desorption, 798
Mn(III) and Fe(III) tetraarylporphyrin complexes, solution and gas phase chemistry of, A study of, by fast-atom bombardment mass spectrometry. 1: Generation of molecular signals, 249
Mn(III) and Fe(III) tetraarylporphyrin complexes, solution and gas phase chemistry of, A study of, by fast-atom bombardment mass spectrometry. 2: Synthesis and characterization of molecular complexes, 255
Model large polypeptide ions, RRKM calculations on: The effect of ion size on rate of dissociation, 11
Model matrix for molecular secondary ion mass spectrometry studies of biological soft tissue, Doped gelatin films as, 419
Molecular complexes, synthesis and characterization of. 2: A study of the solution and gas-phase chemistry of Mn(III) and Fe(III) tetraarylporphyrin complexes by fast-atom bombardment mass spectrometry, 255
Molecular ion derived from fatty acid methyl esters, Low-energy tandem mass spectrometry of: a novel method for analysis of branched-chain fatty acids, 223
Molecular secondary ion mass spectrometry studies of biological soft tissue, a model matrix for, Doped gelatin films as, 419
Molecular signals, Generation of. 1: A study of the solution and gas-phase chemistry of Mn(III) and Fe(III) tetraarylporphyrin complexes by fast-atom bombardment mass spectrometry, 249

Molecular weight, mass spectrometrically measured, Determination of oligonucleotide composition from, 204
Molecular weight assignment of peptides in complex mixtures, Application of electrospray mass spectrometry and matrix-assisted laser desorption ionization time-of-flight mass spectrometry for, 670
Molecule–ion reaction under chemical ionization, Gas-phase halo alkylation of C_{60}-fullerene by, 894
Molecule–ion reactions, Functional group-selective, of ethylene glycol and its monomethyl and dimethyl ethers, 97
Molecule–ion reactions, Selective, of lactams with dimethyl ether ions, 352
Molecule–Ion reactions in mixtures of trimethylaluminum and methylamines, 111
Monitoring, real-time, of some atmospheric pollutants, ion trap detector used for, performance of, The effects of air and helium on, 774
Monolayer surfaces, self-assembled, reactions of hyperthermal ion beams at, XeF^+, IF^+, and other unusual ions generated by, 938
Monolayers, self-assembled, Laser desorption ion trap mass spectrometry of, 968
Monomeric metaphosphate anion, Tropylium, chlorine isotopic abundances, and Conestoga wagon theory, 761
Monomethyl and dimethyl ethers, ethylene glycol, Functional group-selective ion–molecule reactions of, 97
Multiphoton dissociation studies, Collision-induced and infrared, on $M(acetone)_2^+$ (M = Al, Fe, Co, Cu, ScO) in the gas phase, 135
Multiple-stage mass spectrometry in structural characterization of organophosphorus compounds, 125
Multiply charged polypeptides, dissociation of, High-energy collision-induced, produced by electrospray, 652
Multisample probe for fast-atom bombardment/mass spectrometry, 504
Myoglobin, acid-denatured, Stepwise refolding of: evidence from electrospray mass spectrometry, 638
Myoglobin, hemoglobin, and cytochrome *c*, heme binding in, Studies on, by ion spray mass spectrometry, 631

n-alkenes, Unimolecular photochemistry of, studied by photodissociation–photoionization mass spectrometry, 65
N-peracetylation of proteins, for their structure determination by mass spectrometry, Utility of, 87
N_2O and CO_2, gas-phase bond strengths of, Comparative study of, with the halide ions, 58
Negative chemical ionization with oxygen, dibenzothiophene subjected to, Oxidation reactions of, 949
Negative ion electrospray mass spectrometry, analyte charge state, signal intensity, and stability in, Solvent effect on; implications for the mechanism of negative ion formation, 546
Negative ion electrospray mass spectrometry of nucleotides: ionization from water solution with SF_6 discharge suppression, 289
Negative ion formation, mechanism of, implications for; Solvent effect on analyte charge state, signal intensity, and stability in negative ion electrospray mass spectrometry, 546
Negative ion formation in electrospray mass spectrometry, 578
Negative ion mass spectra, electron capture, not reproducible, Why are? An ion source problem, 270
Negative-ion matrix-assisted laser desorption mass spectrometry, Analysis of oligodeoxynucleotides by, 955
Networking mass spectrometer data systems for improved productivity and electronic archiving of data, 742
Neutral organic molecules including fullerenes, Applications of electrospray ionization mass spectrometry to, 596
Neutrals, generated by matrix-assisted laser desorption, Gas-phase cationization and protonation of, 393
New fragment ion type in the collision-induced dissociation spectra of peptides, Identification of: formation of a_2-16 ions, 424
New mass spectrograph, A, 372
Nitrogen and sulfur heterocycles in petroleum fractions, Selective chemical ionization of, by ion trap mass spectrometry, 322
Noncovalent interactions, protein–protein and protein–ligand, probing, Application of electrospray mass spectrometry in, 624
Nonlinear resonance effects during ion storage in a quadrupole ion trap, 917
Nucleophiles, pyridine, $CH_2^{+\cdot}$ transfer to: a means of producing α-distonic ions, 117
Nucleotides, Negative ion electrospray mass spectrometry of: ionization from water solution with SF_6 discharge suppression, 289

$O^{-\cdot}$ and C_6H_5F, Gas-phase reactions between: on the acidity of fluorobenzene and 1,4-difluorobenzene, 73
Observation and implications of high mass-to-charge-ratio ions from electrospray ionization mass spectrometry, 536
Offset ion lens, Inductively coupled plasma mass spectrometry with an enlarged sampling orifice and. I. Ion trajectories and detector performance, 16
Offset ion lens, Inductively coupled plasma mass spectrometry with an enlarged sampling orifice and. II. Polyatomic ion interferences and matrix effects, 28
Oligodeoxynucleotides, Analysis of, by negative-ion matrix-assisted laser desorption mass spectrometry, 955
Oligonucleotide composition, Determination of, from mass spectrometrically measured molecular weight, 204
Oligosaccharide cations produced in an external source Fourier transform mass spectrometer, "Slow" metastable decomposition of, 210
Oligosaccharides, alkali metal cationized and permethylated, Collision-induced dissociation of: influence of the collision energy and of the collision gas for the assignment of linkage position, 197
On the structure of water–alcohol and ammonia–alcohol protonated clusters, 507
On-line immobilized metal-ion affinity chromatography, phosphopeptides isolated by, Electrospray ionization mass spectrometry of, 662
Organic molecules, neutral, including fullerenes, Applications of electrospray ionization mass spectrometry to, 596
Organophosphorus compounds, structural characterization of, Multiple-stage mass spectrometry in, 125
Oxidation reactions of dibenzothiophene subjected to negative chemical ionization with oxygen, 949
Oxidation/reduction processes observed in fast-atom bombardment/liquid secondary ion mass spectrometry, true effect of experimental parameters on, Evaluation of, 482
Oxidative damage to double-stranded DNA, Gas chromatographic-mass spectrometric method for the assessment of, by quantitation of thymine glycol residues, 336
Oxygen, negative chemical ionization with, dibenzothiophene subjected to, Oxidation reactions of, 949

Particle beam interface, Coupling, directly to a quadrupole ion trap mass spectrometer, 38

Particle beam–mass spectrometry–high-performance liquid chromatography, Determination of polycyclic aromatic hydrocarbons by, 898
Paul-type ion traps, single-ion trajectories in, Computer simulation of, 687
PDMS'93, Hirschegg, Kleinwalsertal, Austria, June 19–26, 1993 (conference report), 971
Peptide ions, charge location in, Decompositions of cationized heterodimers of amino acids in relation to, 461
Peptide $[M + H]^+$ ions, Dehydration of, in the gas phase, 477
Peptides, chemical ionization of, Fe^+, 106
Peptides, collision-induced dissociation spectra of, new fragment ion type in, Identification of: formation of a_2-16 ions, 424
Peptides, Low-mass ions produced from, by high-energy collision-induced dissociation in tandem mass spectrometry, 882
Peptides, protonated, high-energy fragmentation of, Determination of, using a BEqQ hybrid mass spectrometer, 470
Peptides in complex mixtures, molecular weight assignment of, Application of electrospray mass spectrometry and matrix-assisted laser desorption ionization time-of-flight mass spectrometry for, 670
Peracetylation-*N*, of proteins, for their structure determination by mass spectrometry, Utility of, 87
Permethylated oligosaccharides, Collision-induced dissociation of: influence of the collision energy and of the collision gas for the assignment of linkage position, 197
Petroleum fractions, nitrogen and sulfur heterocycles in, Selective chemical ionization of, by ion trap mass spectrometry, 322
Phenol fatty acid esters, deprotonated, Ion-dipole complex formation from, evidenced by using gas-phase labeling combined with tandem mass spectrometry, 343
Phosphonium salts, quaternary, Laser microprobe mass spectrometry of: direct versus matrix-assisted laser desorption, 798
Phosphopeptides in complex mixtures, Selective detection of, by electrospray liquid chromatography/mass spectrometry, 710
Phosphopeptides isolated by on-line immobilized metal-ion affinity chromatography, Electrospray ionization mass spectrometry of, 662
Photo-induced dissociation of precursor ions, High efficiency, in a tandem time-of-flight mass spectrometer, 751
Photochemistry, Unimolecular, of *n*-alkenes studied by photodissociation–photoionization mass spectrometry, 65
Photodissociation, laser, Determination of positions, velocities, and kinetic energies of resonantly elicited ions in the quadrupole ion trap mass spectrometer by, 792
Photodissociation–photoionization mass spectrometry, Unimolecular photochemistry of *n*-alkenes studied by, 65
Plasma, metal ion, laser-generated, Competitive ionization of tetraphenylporphyrin in, 159
Plasma mass spectrometry, Inductively coupled, with an electrically floating sampling interface, 733
Plasma mass spectrometry, Inductively coupled, with an enlarged sampling orifice and offset ion lens. I. Ion trajectories and detector performance, 16
Plasma mass spectrometry, Inductively coupled, with an enlarged sampling orifice and offset ion lens. II. Polyatomic ion interferences and matrix effects, 28
Plasmas, pulse glow discharge, afterpeak time regime of, Ion formation processes in, 727
Pollutants, atmospheric, real time monitoring of, ion trap detector used for, performance of, The effects of air and helium on, 774
Polyatomic ion interferences and matrix effects. II. Inductively coupled plasma mass spectrometry with an enlarged sampling orifice and offset ion lens, 28
Polycyclic aromatic hydrocarbons, Determination of, by high-performance liquid chromatography–particle beam–mass spectrometry, 898
Polyethers, gas-phase basicities and ammonium ion affinities of, orders of, Comparison of, by kinetic method and ligand exchange technique, 718
Polyethers, Gas-phase complexation of, with halide ions, 242
Polymers, hydrocarbon, analysis of, by laser desorption Fourier transform mass spectrometry, Silver nitrate chemical ionization for, 453
Polypeptide ions, model large, RRKM calculations on: The effect of ion size on rate of dissociation, 11
Polypeptides, multiply charged, dissociation of, High-energy collision-induced, produced by electrospray, 652
Positions, velocities, and kinetic energies of resonantly elicited ions in the quadrupole ion trap mass spectrometer. Determination of, by laser photodissociation, 792
Precursor ions, photo-induced dissociation of, High efficiency, in a tandem time-of-flight mass spectrometer, 751
Probe, Multisample, for fast-atom bombardment/mass spectrometry, 504
Probe insert designs, thermospray, Two, that allow clogged probes to be rapidly replaced, 182
Probes, clogged, Two thermospray probe insert designs that allow to be rapidly replaced, 182
Probing the helical content of growth hormone-releasing factor analogs using electrospray ionization mass spectrometry, 646
Product ion characterization by linked-scan tandem mass spectrometry. Trimethylsilyl group migration in the mass spectra of trimethylsilyl ethers of cholesterol oxidation products, 327
Productivity, improved, Networking mass spectrometer data systems for, 742
Protein ions, Collision cross sections for, 616
Protein–ligand and protein–protein noncovalent interactions, probing, Application of electrospray mass spectrometry in, 624
Protein–protein and protein–ligand noncovalent interactions, probing, Application of electrospray mass spectrometry in, 624
Proteins, *N*-peracetylation of, for their structure determination by mass spectrometry, Utility of, 87
Protonated clusters, water–alcohol and ammonia–alcohol, On the structure of, 507
Protonated peptides, high-energy fragmentation of, Determination of, using a BEqQ hybrid mass spectrometer, 470
Protonation and Gas-phase cationization of neutrals generated by matrix-assisted laser desorption, 393
Pulse glow discharge plasmas, afterpeak time regime of, Ion formation processes in, 727
Pyridine nucleophiles, $CH_2^{+\cdot}$ transfer to: a means of producing α-distonic ions, 117

Quadrupole ion trap, ion storage in, Nonlinear resonance effects during, 917
Quadrupole ion trap mass spectrometer, Coupling a particle beam interface directly to, 38
Quadrupole ion trap mass spectrometer, positions, velocities, and kinetic energies of resonantly elicited ions in, Determination of, by laser photodissociation, 792

Quadrupole mass spectrometry, triple, as applied to flame diagnostics: study of the $C_2H_4/N_2O/Ar$ flame, 152
Quaternary phosphonium salts, Laser microprobe mass spectrometry of: direct versus matrix-assisted laser desorption, 798

Radiofrequency-only mode, Ion cloud manipulation using, as an improvement for high mass detection in Fourier transform mass spectrometry, 186
Reagent ions, Injection of, into the selvedge region in fast-atom bombardment mass spectrometry, 259
Real-time monitoring of some atmospheric pollutants, ion trap detector used for, performance of, The effects of air and helium on, 774
Redox processes by ruthenium(II) polypyridine complexes induced by fast-atom bombardment mass spectrometry, 306
Reduction/oxidation processes observed in fast-atom bombardment/liquid secondary ion mass spectrometry, true effect of experimental parameters on, Evaluation of, 482
Refolding, Stepwise, of acid-denatured myoglobin: evidence from electrospray mass spectrometry, 638
Relative ion yields measured with a high-resolution glow discharge mass spectrometer operated with an argon/hydrogen mixture, 278
Residence time, ion source, effective, estimating, A simple method for, 787
Resonance effects, Nonlinear, during ion storage in a quadrupole ion trap, 917
Resonantly elicited ions, positions, velocities, and kinetic energies of, in the quadrupole ion trap mass spectrometer. Determination of, by laser photodissociation, 792
Rhenium oxide surface, High-efficiency-surface-induced dissociation on, 869
Role of ion-ion recombination for alkali chloride cluster formation in liquid secondary ion mass spectrometry, 410
RRKM calculations on model large polypeptide ions: The effect of ion size on rate of dissociation, 11
Ruthenium(II) polypyridine complexes, Redox processes of, induced by fast-atom bombardment mass spectrometry, 306

Salt, tetraalkylammonium, molecular ions sputtered from a gelatin matrix, Formation and emission of, 930
Salts, quaternary phosphonium, Laser microprobe mass spectrometry of: direct versus matrix-assisted laser desorption, 798
Sampling interface, electrically floating, Inductively coupled plasma mass spectrometry with, 733
Sampling orifice, enlarged, and offset ion lens, Inductively coupled plasma mass spectrometry with. I. Ion trajectories and detector performance, 16
Sampling orifice, enlarged, and offset ion lens, Inductively coupled plasma mass spectrometry with. II. Polyatomic ion interferences and matrix effects, 28
Sco, Al, Fe, Co, Cu, $M(acetone)_2^+$, Collision-induced and infrared multiphoton dissociation studies on, in the gas phase, 135
Selective chemical ionization of nitrogen and sulfur heterocycles in petroleum fractions by ion trap mass spectrometry, 322
Selective detection of phosphopeptides in complex mixtures by electrospray liquid chromatography/mass spectrometry, 710
Selective ion–molecule reactions of lactams with dimethyl ether ions, 352
Self-assembled monolayer surfaces, reactions of hyperthermal ion beams at, XeF^+, IF^+, and other unusual ions generated by, 938
Self-assembled monolayers, Laser desorption ion trap mass spectrometry of, 968
Selvedge region, Injection of reagent ions into in fast-atom bombardment mass spectrometry, 259
Sensitivity for laser desorption in an ion trap mass spectrometer, A method for increasing, 706
SF_6 discharge suppression, ionization from water solution with: Negative ion electrospray mass spectrometry of nucleotides, 289
Signal intensity, analyte charge state, and stability in negative ion electrospray mass spectrometry, Solvent effect on; implications for the mechanism of negative ion formation, 546
Silver nitrate chemical ionization for analysis of hydrocarbon polymers by laser desorption Fourier transform mass spectrometry, 453
Simple method for estimating effective ion source residence time, A, 787
Single-ion trajectories in Paul-type ion traps, Computer simulation of, 687
Site-selective gas-phase reactions of amino alcohols with dimethyl ether ions, An investigation of, 230
"Slow" metastable decomposition of oligosaccharide cations produced in an external source Fourier transform mass spectrometer, 210
Small-bore electrospray ionization source, Construction and characterization of, 964
Soft tissue, biological, molecular secondary ion mass spectrometry studies of, a model matrix for, Doped gelatin films as, 419
Solution and gas-phase chemistry of Mn(III) and Fe(III) tetraarylporphyrin complexes by fast-atom bombardment mass spectrometry. A study of, 1: Generation of molecular signals, 249
Solution and gas-phase chemistry of Mn(III) and Fe(III) tetraarylporphyrin complexes by fast-atom bombardment mass spectrometry, A study of. 2: Synthesis and characterization of molecular complexes, 255
Solution residues, Analysis of, by glow discharge mass spectrometry, 47
Solvent effect on analyte charge state, signal intensity, and stability in negative ion electrospray mass spectrometry; implications for the mechanism of negative ion formation, 546
Stability, analyte charge state, and signal intensity, in negative ion electrospray mass spectrometry, Solvent effect on; implications for the mechanism of negative ion formation, 546
Stepwise refolding of acid-denatured myoglobin: evidence from electrospray mass spectrometry, 638
Streams, waste, components of, Identification of, by electrospray and tandem mass spectrometry, 604
Structural characterization of organophosphorus compounds, Multiple-stage mass spectrometry in, 125
Structures of gas-phase $C_7F_7^+$ ions, 813
Studies on heme binding in myoglobin, hemoglobin, and cytochrome *c* by ion spray mass spectrometry, 631
Study of the solution and gas-phase chemistry of Mn(III) and Fe(III) tetraarylporphyrin complexes by fast-atom bombardment mass spectrometry, A. 1: Generation of molecular signals, 249
Study of the solution and gas-phase chemistry of Mn(III) and Fe(III) tetraarylporphyrin complexes by fast-atom bombardment mass spectrometry, A. 2: Synthesis and characterization of molecular complexes, 255

Substituted cyclopentadienylmanganese cations in the gas phase, Metastable ion study of, 216
Sulfur and nitrogen heterocycles in petroleum fractions, Selective chemical ionization of, by ion trap mass spectrometry, 322
Surface-induced dissociation, High-efficiency, on a rhenium oxide surface, 869
Surface-induced dissociation from a liquid surface, 769
Survivor ions, Delayed dissociation spectra of, from high-energy collisional activation, 845
Survivor ions, energy spectra of, angle-resolved translational, High-energy collisional activation studied via, 835
Systematic errors originating from Coulomb mutual interaction and image charge in Fourier transform ion cyclotron resonance precise mass difference measurements, Analysis and estimation of, 855

Tandem and electrospray mass spectrometry, Identification of components in waste streams by, 604
Tandem mass spectrometer, time-of-flight, High efficiency photo-induced dissociation of precursor ions in, 751
Tandem mass spectrometry, fast-atom bombardment by/liquid secondary ion mass spectrometry, beam-induced reactions occurring in, Characterization of, 312
Tandem mass spectrometry, gas-phase labeling combined with, Ion-dipole complex formation from deprotonated phenol fatty acid esters evidenced by, 343
Tandem mass spectrometry, high-energy collision-induced dissociation in, Low-mass ions produced from peptides by, 882
Tandem mass spectrometry, high-resolution, of large molecules, Fourier-transform electrospray instrumentation for, 557
Tandem mass spectrometry, linked-scan. Product ion characterization by. Trimethylsilyl group migration in the mass spectra of trimethylsilyl ethers of cholesterol oxidation products, 327
Tandem mass spectrometry, Low-energy, of the molecular ion derived from fatty acid methyl esters: a novel method for analysis of branched-chain fatty acids, 223
Tandem mass spectrometry and theoretical calculations, a study using: Mechanism of gas-phase aldose–ketose isomerization, 943
Tetraalkylammonium salt molecular ions sputtered from a gelatin matrix, Formation and emission of, 930
Tetraarylporphyrin complexes, Mn(III) and Fe(III), solution and gas phase chemistry of, A study of, by fast-atom bombardment mass spectrometry. 1: Generation of molecular signals, 249
Tetraarylporphyrin complexes, Mn(III) and Fe(III), solution and gas-phase chemistry of, A study of, by fast-atom bombardment mass spectrometry. 2: Synthesis and characterization of molecular complexes, 255
Tetraphenylporphyrin, Competitive ionization of, in a laser-generated metal ion plasma, 159
Theoretical calculations and tandem mass spectrometry, a study using: Mechanism of gas-phase aldose–ketose isomerization, 943
Thermospray probe insert designs, Two, that allow clogged probes to be rapidly replaced, 182
Thymine glycol residues, quantification of, Gas chromatographic-mass spectrometric method for the assessment of oxidative damage to double-stranded DNA by, 336
Time, geometry and energy, roles of: Ion formation from charged droplets, 524
Time regime, afterpeak, of pulsed glow discharge plasmas, Ion formation processes in, 727
Time-of-flight mass spectrometer, linear, large molecules in, High-resolution mass spectrometry of, 2
Time-of-flight mass spectrometer, tandem, High efficiency photo-induced dissociation of precursor ions in, 751
Time-of-flight mass spectrometry, Gridless ion acceleration systems for, 782
Time-of-flight mass spectrometry, matrix-assisted laser desorption ionization, and electrospray mass spectrometry, Application of, for molecular weight assignment of peptides in complex mixtures, 670
Translational energy spectra, angle-resolved, of survivor ions, High-energy collisional activation studied via, 835
Trimethylaluminum and methylamines mixtures, Ion–molecule reactions in, 111
Trimethylsilyl ethers of cholesterol oxidation products, mass spectra of, Trimethylsilyl group migration in. Product ion characterization by linked-scan tandem mass spectrometry, 327
Trimethylsilyl group migration in the mass spectra of trimethylsilyl ethers of cholesterol oxidation products. Product ion characterization by linked-scan tandem mass spectrometry, 327
Triple quadrupole mass spectrometry as applied to flame diagnostics: study of the $C_2H_4/N_2O/Ar$ flame, 152
Tropylium, chlorine isotopic abundances, monomeric metaphosphate anion, and Conestoga wagon theory, 761
Two thermospray probe insert designs that allow clogged probes to be rapidly replaced, 182
Two-dimensional Coulomb-induced frequency modulation in Fourier transform ion cyclotron resonance: a mechanism for line broadening at high mass and for large ion populations, 909

Unimolecular photochemistry of *n*-alkenes studied by photodissociation–photoionization mass spectrometry, 65
Unusual ions, XeF^+, IF^+, and other, generated by reactions of hyperthermal ion beams at self-assembled monolayer surfaces, 938
Utility of *N*-peracetylation of proteins for their structure determination by mass spectrometry, 87

Vacuum chamber, Concentric tube, for high magnetic field, high-pressure ionization in a Fourier transform ion cyclotron resonance mass spectrometer, 168
Velocities, positions, and kinetic energies of resonantly elicited ions in the quadrupole ion trap mass spectrometer. Determination of, by laser photodissociation, 792

Waste streams, components of, Identification of, by electrospray and tandem mass spectrometry, 604
Water–alcohol and ammonia–alcohol protonated clusters, On the structure of, 507
Water solution, ionization from, with SF_6 discharge suppression: Negative ion electrospray mass spectrometry of nucleotides, 289
Why are electron capture negative ion mass spectra not reproducible? An ion source problem, 270

XeF^+, IF^+, and other unusual ions generated by reactions of hyperthermal ion beams at self-assembled monolayer surfaces, 938